



HP LaserJet Enterprise MFP M528 series

Handle business solutions securely, plus help conserve energy with HP EcoSmart toner

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart toner black. Keep up with the demands of growing business with a printer you can rely on.⁸

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.
<http://www.hp.com/go/learnaboutsupplies>



HP LaserJet Enterprise MFP M528dn



HP LaserJet Enterprise MFP M528f



HP LaserJet Enterprise Flow MFP M528c



HP LaserJet Enterprise Flow MFP M528z

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

Low costs, low energy use

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings—up to 29% over prior products⁸ plus save with Auto-on/Auto-off technology.³
- This MFP fits in tight places to boost performance in almost any workspace.

Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloud-based printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁵
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.⁶

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: <http://www.hp.com/go/printersecurityclaims>

² High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately

³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

⁴ HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit <http://www.hp.com/go/securitymanager>

⁶ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

⁸ HP calculations based on Energy Star normalized TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/N/Y compared to HP 87A/X.

⁹ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Product walkaround

1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage¹
2. 2nd generation Hardware Integration Pocket²
3. Easy-access USB port³
4. 250-sheet output bin
5. Top cover (access to Original HP JetIntelligence toner cartridge)
6. 100-sheet multipurpose tray 1 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)
7. 550-sheet input tray 2 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)
8. 8.0-inch (20.3 cm) pivoting color touchscreen
9. Pull-out keyboard¹
10. Convenience stapler⁴
11. Automatic two-sided printing
12. Dual-band Wi-Fi® with Bluetooth® Low Energy⁵
13. Slot for cable-type security lock
14. Gigabit Ethernet
15. Hi-Speed USB 2.0 printing port
16. USB port for connecting external USB devices



Series at a glance



| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z |
|--|---|----------------------------------|---------------------------------------|--|
| Product number | 1PV64A | 1PV65A | 1PV66A | 1PV67A |
| Functions | Print, scan, copy, (fax optional) | Print, scan, copy, fax | | |
| Print speed (black) ⁶ | Up to 45/43 pages per minute (ppm) (letter/A4) (all models) | | | |
| Convenience stapler ⁴ | Not available | | √ | |
| Advanced workflow features ¹ | Not available | | | √ |
| 100-sheet multipurpose tray 1, 550-sheet input tray 2 | | √ | | |
| Optional 550-sheet paper tray | Add up to three (all models) | | | |
| Optional printer cabinet | Add up to one (all models) | | | |
| Input capacity (standard/max ⁷) | Up to 650/2,300 sheets (all models) | | | |
| RMPV ⁸ | 2,000 to 7,500 pages (all models) | | | |
| Cartridge yield ⁹ | Black: ~5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models) | | | |
| HP High-Performance Secure Hard Disk ¹⁰ | Not available | | √ | |
| Wireless direct printing ¹¹ /NFC touch-to-print ¹² | | Optional | | Built-in wireless direct printing; optional NFC touch-to-print |
| Dual-band Wi-Fi® with Bluetooth® Low Energy ⁵ | | Optional | | Built-in |

¹ Advanced workflow features are available on the Flow MFP M528c and M528z models only and include HP EveryPage, a pull-out keyboard, embedded capture functionality, built-in OCR, plus automatic page orientation, cropping, and tone adjustment.
² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP LaserJet Enterprise MFP M528 series comes with a second-generation HIP.
³ An administrator must enable the easy-access USB port before use.
⁴ The convenience stapler is only available on the MFP M528f, Flow MFP M528c, and Flow MFP M528z models.
⁵ Dual-band Wi-Fi® with Bluetooth® Low Energy is standard on the Flow MFP M528z model and optional on all other models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at hp.com/go/mobileprinting.
⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
⁷ Purchase of optional paper trays required to reach maximum input capacity.
⁸ Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
⁹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>.
¹⁰ The encrypted HP High-Performance Secure Hard Disk is optional on the HP LaserJet Enterprise MFP M528dn model and is standard on the HP LaserJet Enterprise MFP M528f, Flow MFP M528c, and Flow MFP M528z models.
¹¹ Wireless direct printing is standard on the Flow MFP M528z model and optional on all other models with the addition of the HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting.
¹² Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

HP printers have the industry's strongest security¹ because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 60 ipm⁶—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

1PV95A HP Internal USB Ports Qty 100 for M507 and M528
2EH31A HP MFP Analog Fax Accessory 700
2MU47A HP Accessibility Assistant
2NR12A HP Removable Hard Drive Enclosure
2TD64A HP Accessibility Kit
3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A HP Legic Secure USB Reader
5EL03A HP TAA Version Secure Hard Disk Drive
A7W14A HP LaserJet Swedish Overlay Keyboard
B5L28A HP Internal USB Ports
B5L29A HP High-Performance Secure Hard Disk
B5L31A HP Foreign Interface Harness
E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
F2A72A HP LaserJet 550-sheet Paper Tray
F2A73A HP LaserJet Printer Cabinet
J8030A HP Jetdirect 3000w NFC/Wireless Accessory
J8031A HP ADF Roller Replacement Kit
X3D03A HP Universal USB Proximity Card Reader
Y7C05A HP HIP2 Keystroke Reader

Supplies

Q7432A HP Staple Cartridge Refill
W5U23A HP 200 ADF Roller Replacement Kit
CF289A HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages)
CF289X HP89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages)
CF289Y HP89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages)

Services

UB7B2E - HP 3 years Next Business Day w/DMR LaserJet M528 SVC
UB7B3E - HP 4 years Next Business Day w/DMR LaserJet M528 SVC
UB7B4E - HP 5 years Next Business Day w/DMR LaserJet M528 SVC
UB7B5E - HP 3 years 4 hours 9x5 w/DMR LaserJet M528 SVC
UB7B6E - HP 4 years 4 hours 9x5 w/DMR LaserJet M528 SVC
UB7B7E - HP 5 years 4 hours 9x5 w/DMR LaserJet M528 SVC
UB7C1E - HP 3 years ChnlPartsOnly LaserJet M528 SVC
UB7C2E - HP 4 years ChnlPartsOnly LaserJet M528 SVC
UB7C3E - HP 5 years ChnlPartsOnly LaserJet M528 SVC
UB7C4PE - HP 1 year PW Next Business Day w/DMR LaserJet M528 SVC
UB7C5PE - HP 2 years PW Next Business Day w/DMR LaserJet M528 SVC
UB7C6PE - HP 1 year PW w/DMR 4 hours 9x5 LaserJet M528 SVC
UB7C7PE - HP 2 years PW w/DMR 4 hours 9x5 LaserJet M528 SVC
UB7D0PE - HP 1 year PW ChnlPartsOnly LaserJet M528 SVC
UB7D1PE - HP 2 years PW ChnlPartsOnly LaserJet M528 SVC



¹ Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: <http://www.hp.com/go/printersecurityclaims>

² High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately

³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

⁴ HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit <http://www.hp.com/go/securitymanager>

⁶ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

⁸ HP calculations based on Energy Star normalized TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.

⁹ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

HP LaserJet Enterprise MFP M528 series

| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z |
|---|---|---|--|--|
| Product number | 1Pv64A | 1Pv65A | 1Pv66A | 1Pv67A |
| AIO functions | Print, copy, scan and optional fax | Print, copy, scan, fax | | |
| Print | | | | |
| Print speed ^{14,12,13} | Letter: Up to 45 ppm (default) ; Up to 52 ppm (HP High Speed) Black; 2-sided: Up to 36 ipm Black; First page out: As fast as 6 sec Black; Print speed (Landscape, A5): Up to 65 ppm Black | | | |
| Print resolution | Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi | | | |
| Print technology | Laser; Print resolution technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 | | | |
| Print cartridges number | 1 (black) | | | |
| Standard print languages | HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ | | | |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | | | |
| Printer management / HP SureSupply ⁷ | HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) / Yes | | | |
| Scan | | | | |
| Scan type / Technology | Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS) | | | |
| Scan resolution | Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi | | | |
| Scan file format | PDF, JPEG, TIFF, MTIFF, XPS, PDF/A | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.pm, .pcl, .cht) | | |
| Scan input modes | Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (XPP) applications | | | |
| Scan Size | ADF: 8.5 x 34.0 in Maximum; 4 x 5.8 in Minimum; Flatbed: 8.5 x 14 in | | | |
| Scan speed ¹² | Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) Duplex: Up to 43 ipm (b&w), up to 38 ipm (color) | | Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color) Duplex: Up to 64 ipm (b&w), up to 58 ipm (color) | |
| Scanner advanced features | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone | | |
| Bit depth / Grayscale levels | 24-bit / 256 | | | |
| Digital sending standard features | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR | |
| Copy | | | | |
| Copy speed ¹⁵ | Black (ISO): Up to 43 cpm (default) ; Up to 50 cpm (HP High Speed); First copy out: As fast as 6.5 sec Black; 2-sided: Up to 36 cpm Black | | | |
| Copy resolution | Color (text and graphics): Up to 600 x 600 dpi | | | |
| Maximum Number of Copies | Up to 9999 copies | | | |
| Copier resize | 25 to 400% | | | |
| Copier settings | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; content orientation; collation; booklet; job build; edge-to-edge job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes) | | | |
| Fax | | | | |
| Fax speed | Up to 33.6 kbps / Letter: 3 sec per page | | | |
| Fax resolution | Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi | | | |
| Fax smart software features | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule | | | |
| Fax Features | Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No | | | |
| Connectivity | | | | |
| Standard connectivity | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket | 2 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax; | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax; | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy |
| Network capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); second Ethernet port (optional). | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Embedd 802.11a/b/g/n wireless networking and second Ethernet port | |
| Wireless capability | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless | Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE. | | |
| Mobile printing capability ⁵ | Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing | | | Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing; Wireless Direct Printing |
| Memory | Standard: 1.25 GB (printer); 512 MB (Scanner); Maximum: 3.75 GB MAX memory, when Accessory DIMM is installed | | | |
| Processor speed | 1.2 GHz / Storage: 16 GB eMMC / | | 1.2 GHz / Storage: 500 GB hard disk drive / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) | |
| Duty cycle (monthly) | Letter: Up to 150,000 pages; Recommended monthly page volume: 2000 to 7500 | | | |

HP LaserJet Enterprise MFP M528 series

| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z |
|--------------------------------------|--|--|--|--|
| Product number | 1Pv64A | 1Pv65A | 1Pv66A | 1Pv67A |
| Paper handling | 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 650 sheets Standard; Up to 10 envelopes | | | |
| Input | 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 650 sheets Standard; Up to 10 envelopes | | | |
| Output | Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies: Up to 75 sheets | Standard: 250-sheet output bin, convenience stapler; Up to 250 sheets Standard; Transparencies: Up to 75 sheets | | |
| Duplex Options | Automatic (standard) | | | |
| Auto document feeder capacity | Standard, 100 sheets | | | |
| Envelope feeder | No | | | |
| Standard paper trays | 2 | | | |
| Media types | Paper (bond, color, letterhead, plain, prepunched, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined | | | |
| Media weight | Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb | | | |
| Media sizes | Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in | | | |
| Media Sizes Custom | Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in | | | |
| Dimensions (w x d x h) | 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in | | | |
| Weight ² | 47.56 lb | 48.76 lb | 49.16 lb | |
| What's in the box ¹ | HP LaserJet Enterprise M528dn MFP; HP Original LaserJet Introductory Toner Cartridge (~7,500 pages); Regulatory flyer (CD replacement); Chile Regulatory flyer (ACB); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list. Japan jtr errata (ABJ) | HP LaserJet Enterprise M528f MFP; HP Original LaserJet Toner Cartridge Introductory (~7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Fax Cable; Japan jtr errata (ABJ) | HP LaserJet Enterprise Flow M528c MFP; HP Original LaserJet Introductory Toner Cartridge (~7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax cable; Japan jtr errata (ABJ) | HP LaserJet Enterprise Flow M528z MFP; HP Original LaserJet Introductory Toner Cartridge (~7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax Cable; Japan jtr errata (ABJ) |
| Replacement cartridges ¹⁶ | HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages) CF289A; HP89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages) CF289Y | | | |
| Warranty features | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001) | | | |
| Energy star certified | Yes | | | |
| Energy efficiency compliance | ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 | | EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205 | |
| Control panel | 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) | | | 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Integrated Keyboard |
| Display | 8.0 in (20.3 cm), touchscreen (1024x768), LCD (color graphics), smooth gesture, enabled touchscreen | | | |
| Software included | No software solutions are included in the Box, only on http://hp.com , http://123.hp.com | | | |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts | | | |
| Compatible operating systems | Windows Client OS (32/64 bit), Win10, Win8.1, Win8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd | | | |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com , Linux For more information see http://developers.hp.com/hplinuximagingandprinting , Unix For more information see http://hp.com/go/unixmodelscripts , UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://hp.com/go/upd | | | |
| Minimum system requirements | PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com ; Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com | | | |
| Power ^{8 9} | Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 4 A; Power consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical electricity consumption (TEC) number: 1.414 kWh/Week (Blue Angel); 0.446 kWh/Week (Energy Star 3.0); Best technical electricity consumption (TEC): 1.414 kWh/week | | | |
| Acoustics | Acoustic power emissions: 6.8 B(A) | | Acoustic power emissions: 6.8 B(A) | |
| Operating environment | Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH | | | |
| Security management | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Connection Inspector - helps ensure network connections to device are safe, Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messages processed and accessible in ArcSight, Splunk, and McAfee(ESM) SIEMs | | | |

¹ In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>.

² With print cartridges

³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>

⁵ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit <http://hp.com/go/roam>

⁶ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁷ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>.

⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

⁹ Best TEC is not applicable to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O - Energy Efficient Ethernet - was used.

¹⁰ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

¹¹ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

¹² Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹³ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹⁴ Measured using ISO/IEC 24734 Office Suite and Feature Tests, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, document complexity, media size, media orientation and media type. HP High Speed may require FW upgrade to enable.

¹⁵ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, document complexity, media size, media orientation and media type. HP High Speed may require FW upgrade to enable.

¹⁶ Configuration tested: base model, simplex printing, A4 paper at an average of 43 ppm.

To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

4AA7-4781ENU, Juin 2020, R5

--

